

Audio



Pair with Autonomic® or Crestron streaming audio solutions, whole home distribution amplifiers, and speakers.

- Stream your favorite music to any room or entire home
- Let customers easily create the perfect party mode for any celebration

Available Audio Solutions

[AIR_SR4](#) - AIR® 4" 2-Way Surface Mount Outdoor Speakers

[AIR_SR6](#) - AIR® 6.5" 2-Way Surface Mount Outdoor Speakers

[AIR_SR8](#) - AIR® 8" 2-Way Surface Mount Outdoor Speakers

[AIR_LS4T](#) - AIR® 4" Landscape Speakers

[AIR_LS6T](#) - AIR® 6.5" Landscape Speakers

[AIR_IGS82T](#) - AIR® In-Ground Subwoofer

[ASPIRE_IC5](#) - Aspire® 5.25" 2-Way In-Ceiling Speakers

[ASPIRE_IC6](#) - Aspire® 6.5" 2-Way In-Ceiling Speakers

[ASPIRE_IC8](#) - Aspire® 8" 2-Way In-Ceiling Speakers

[ASPIRE_IC6DT](#) - Aspire® 6.5" 2-Way Single-Point Stereo In-Ceiling Speaker

[ASPIRE_IC8DT](#) - Aspire® 8" 2-Way Single-Point Stereo In-Ceiling Speaker

[ASPIRE_IW5](#) - Aspire® 5.25" 2-Way In-Wall Speakers

[ASPIRE_IW6](#) - Aspire® 6.5" 2-Way In-Wall Speakers

[ASPIRE_IW8](#) - Aspire® 8" 2-Way In-Wall Speakers

[ASPIRE_IWL52](#) - Aspire® In-Wall Dual 5.25" 2-Way LCR Speaker

[ASPIRE_IWS82](#) - Aspire® Dual 8" In-Wall Subwoofer

[ATC-AMFM2](#) - Dual AM/FM Radio Tuner Card

[ATC-AMFMXMD](#) - AM/FM and XM® Satellite Radio Tuner Card

[ATC-AUDIONET](#) - Internet Radio Tuner Card

[C2N-AMP-4X100](#) - 4 Room Audio System

[C2N-AMP-6X100](#) - 6 Room + 2 Audio System

[C2NI-AMP-4X100](#) - 4 Room Audio System - International Version, 230V

[C2NI-AMP-6X100](#) - 6 Room + 2 Audio System - International Version, 230V

[CEN-NSP-1](#) - Network Stream Player

[CEN-TRACK](#) - TunerRack Modular Multi-Tuner

[EXCITE_IC5](#) - Excite® 5.25" 2-Way In-Ceiling Speakers

[EXCITE_IC6](#) - Excite® 6.5" 2-Way In-Ceiling Speakers

[EXCITE_IC6DT](#) - Excite® 6.5" 2-Way Single-Point Stereo In-Ceiling Speaker
[EXCITE_IC8](#) - Excite® 8" 2-Way In-Ceiling Speakers
[EXCITE_IW5](#) - Excite® 5.25" 2-Way In-Wall Speakers
[EXCITE_IW6](#) - Excite® 6.5" 2-Way In-Wall Speakers
[EXCITE_IW8](#) - Excite® 8" 2-Way In-Wall Speakers
[SWAMP-24X8](#) - Sonnex® Multiroom Audio System
[SWAMPE-4](#) - Sonnex® Multiroom Audio Expander, 4-Zone
[SWAMPE-8](#) - Sonnex® Multiroom Audio Expander, 8-Zone
[SWAMPI-24X8](#) - Sonnex® Multiroom Audio System - International Version, 220-240V
[SWAMPIE-4](#) - Sonnex® Multiroom Audio Expander - International Version, 4-Zone
[SWAMPIE-8](#) - Sonnex® Multiroom Audio Expander - International Version, 8-Zone

Lighting



Choose from a full selection of wired and wireless dimmers, keypads, and switches.

Available Lighting Solutions

[CAEN-7X1](#) - Automation Enclosures
[CAEN-BLOCK-CENCN-2-POE](#) - Ethernet to Cresnet® Bridge for CAEN Automation Enclosures
[CEN-GWEXER](#) - infiNET EX® & ER Wireless Gateway
[CEN-RFGW-EX](#) - infiNET EX® & ER Wireless Gateway
[CLC-1DIMFLV2EX-24V](#) - Wireless In-Ceiling 0-10V Dimmer, 24VDC
[CLC-1LEDPWM-RGBW-EX](#) - RGBW LED Controller
[CLC-FANDELVEX](#) - Wireless Lighting and Fan Controller
[CLCI-DIMUEX-W](#) - Wireless In-Ceiling Dimmer, 230VAC
[CLCI-1SW2EX-W](#) - Wireless In-Ceiling Switch, 230VAC
[CLCI-1DIMFLV2EX-W](#) - Wireless In-Ceiling 0-10V Dimmer, 230VAC
[CLF-LDIMUEX](#) - Wireless Lamp Dimmer
[CLFI-LDIMUEX-230](#) - Universal Lamp Dimmer, 230 VAC
[CLW-DIMEX-230-E](#) - Cameo® Express Wireless In-Wall Dimmer, 230V
[CLW-DIMEX-230-P](#) - Cameo Wireless In-Wall Dimmer, 230V
[CLW-DIMEX-277-P](#) - Cameo Wireless In-Wall Dimmer, 277V
[CLW-DIMEX-E](#) - Cameo Express Wireless In-Wall Dimmer, 120V
[CLW-DIMEX-P](#) - Cameo Wireless In-Wall Dimmer, 120V
[CLW-DIMFLVEX-P](#) - In-Wall 0-10V Dimmer

[CLW-DIMSWEX-E](#) - Cameo Express Wireless In-Wall Dimmer/Switch Combo
[CLW-DIMSWEX-P](#) - Cameo Wireless In-Wall Dimmer/Switch Combo
[CLW-DELVEX-230-E](#) - Cameo Express Wireless In-Wall ELV Dimmer, 230V
[CLW-DELVEX-230-P](#) - Cameo Wireless In-Wall ELV Dimmer, 230V
[CLW-DELVEX-277-P](#) - Cameo Wireless In-Wall ELV Dimmer, 277V
[CLW-DELVEX-E](#) - Cameo Express Wireless In-Wall ELV Dimmer, 120V
[CLW-DELVEX-P](#) - Cameo Wireless In-Wall ELV Dimmer, 120V
[CLW-EXPEX](#) - infiNET EX® Wireless Expander
[CLW-LDIMEX](#) - Wireless Lamp Dimmer
[CLW-LDIMEX-1GD](#) - Wireless Lamp Dimmer
CLW-LDIMEX-2
[CLW-LSWEX](#) - Wireless Lamp Switch
CLW-LSWEX-2
[CLW-SLVU-230-P](#) - Cameo® In-Wall Remote Dimmer, 230V
[CLW-SLVU-P](#) - Cameo® Wireless In-Wall Switch, 230V
[CLW-SWEX-230-E](#) - Cameo Express Wireless In-Wall Switch, 230V
[CLW-SWEX-230-P](#) - Cameo Wireless In-Wall Switch, 230V
[CLW-SWEX-277-P](#) - Cameo Wireless In-Wall Switch, 277V
[CLW-SWEX-E](#) - Cameo Express Wireless In-Wall Switch, 120V
[CLW-SWEX-P](#) - Cameo Wireless In-Wall Switch, 120V
[CLWI-1SW2EX](#) - In-Wall 2-Channel Switch, 230VAC
[CLWI-DIMFLVEX](#) - In-Wall 0-10V Dimmer, 230VAC
[CLWI-DIMUNEX](#) - Universal Phase In-Wall Dimmer with Neutral Wire, 230 VAC
[CLWI-KPLCN](#) - In-Wall Lighting Keypad, Cresnet
[CLWI-KPLEX](#) - In-Wall Wireless Lighting Keypad, 230VAC Line Powered
[CLWI-SWEX](#) - In-Wall Switch, 230VAC
[CLX-1DIM4](#) - 4 Channel Dimmer Module, Single Feed
[CLX-1DIM8](#) - 8 Channel Dimmer Module, Single Feed
[CLX-1DIMU4](#) - 4 Channel Universal Dimmer Module, 1 Feed
[CLX-1DELV4](#) - 4 Channel Electronic Low-Voltage Dimmer Module
[CLX-1FAN4](#) - 4 Channel Fan Speed Control Module
[CLX-1MC4](#) - 4 Channel Motor Control Module
[CLX-2DIM2](#) - 2 Channel Dimmer Module, 2 Feeds
[CLX-2DIM8](#) - 8 Channel Dimmer Module, 2 Feeds
[CLX-2DIMFLV8](#) - 0-10 Volt 8 Channel Dimmer Module, 2 Feeds
[CLX-2DIMU8](#) - 8 Channel Universal Dimmer Module, 2 Feeds
[CLX-2IND](#) - 2 Channel Inductor Module
[CLX-4HSW4](#) - 4 Channel High-Inrush Switch Module
[CLX-4IND](#) - 4 Channel Inductor Module
[CLXI-1DELV4](#) - 4 Channel Electronic Low-Voltage Dimmer Module - International Version, 230V
[CLXI-1DIM4](#) - 4 Channel Dimmer Module, Single Feed - International Version, 230V
[CLXI-1MC4](#) - 4 Channel Motor Control Module - International Version, 230V
[CLXI-2DIM2](#) - 2 Channel Dimmer Module, 2 Feeds - International Version, 230V
[CLXI-2DIM8](#) - 8 Channel Dimmer Module, 2 Feeds - International Version, 230V
[CLXI-2IND](#) - 2 Channel Inductor Module - International Version, 230V
[CLXI-4HSW4](#) - 4 Channel High-Inrush Switch Module - International Version, 230V
[CLXI-4IND](#) - 4 Channel Inductor Module - International Version, 230V
[DIN-1DIM4](#) - DIN Rail 4-Channel Dimmer
[DIN-1DIMU4](#) - DIN Rail Universal Dimmer

[DIN-2MC2](#) - DIN Rail Motor Control
[DIN-4DIMFLV4](#) - DIN Rail 0-10V Dimmer Module
[DIN-8SW8](#) - DIN Rail High-Voltage Switch
[DIN-8SW8-I](#) - DIN Rail High-Voltage Switch with Digital Inputs
[DIN-AO8](#) - DIN Rail Analog Output Module
[DIN-AP3](#) - DIN Rail 3-Series® Automation Processor
[DIN-CENCN-2](#) - Ethernet to Cresnet® Bridge
[DIN-CENCN-2-POE](#) - Ethernet to Cresnet® Bridge w/PoE
[DIN-EN-3X18](#) - Enclosure for DIN Rail Devices
[DIN-IO8](#) - DIN Rail Versiport Module
[GL-EXP-DIM-CN](#) - Crestron Green Light® Dimmer Expansion Module, Cresnet®
[GL-EXP-DIMFDB-CN](#) - Crestron Green Light® 3-Wire Fluorescent Dimmer Expansion Module, Cresnet®
[GL-EXP-DIMFLV-CN](#) - Crestron Green Light® 0-10V Dimmer Expansion Module, Cresnet®
[GL-EXP-DIMU-CN](#) - Crestron Green Light® Universal Dimmer Expansion Module, Cresnet®
[GL-EXP-SW-CN](#) - Crestron Green Light® Switching Expansion Module, Cresnet®
[GLPP-1DIMFLV2CN-PM](#) - Crestron Green Light® Power Pack, 2-Channel 0-10V Dimmer w/Cresnet® & Built-in Power Monitoring
[GLPP-1DIMFLV2EX-PM](#) - Crestron Green Light® Power Pack, 2-Channel 0-10V Dimmer w/infiNET EX Wireless & Built-in Power Monitoring
[GLPP-1DIMFLV3CN-PM](#) - Crestron Green Light® Power Pack, 3-Channel 0-10V Dimmer w/Cresnet® & Built-in Power Monitoring
[GLPP-1DIMFLV3EX-PM](#) - Crestron Green Light® Power Pack, 3-Channel 0-10V Dimmer w/infiNET EX® Wireless & Built-in Power Monitoring
[GLPP-1SW2CN](#) - Crestron Green Light® Power Pack, 2-Channel Switch w/Cresnet®
[GLPP-1SW2EX](#) - Crestron Green Light® Power Pack, 2-Channel Switch w/infiNET EX® Wireless
[GLPP-1SW3CN](#) - Crestron Green Light® Power Pack, 3-Channel Switch w/Cresnet®
[GLPP-1SW3EX](#) - Crestron Green Light® Power Pack, 3-Channel Switch w/infiNET EX® Wireless
[GLPP-DIMFLVCN-PM](#) - Crestron Green Light® Power Pack, 1-Channel 0-10V Dimmer w/Cresnet® & Built-in Power Monitoring
[GLPP-DIMFLVEX-PM](#) - Crestron Green Light® Power Pack, 1-Channel 0-10V Dimmer w/infiNET EX® Wireless & Built-in Power Monitoring
[GLPP-SWCN](#) - Crestron Green Light® Power Pack, 1-Channel Switch w/Cresnet®
[GLPP-SWEX](#) - Crestron Green Light® Power Pack, 1-Channel Switch w/infiNET EX® Wireless
[GLX-DIM6](#) - 6 Channel Dimmer Module
[GLX-DIMFLV8](#) - 8 Channel 0-10V Dimmer Module
[GLX-HSW8](#) - 8 Channel High-Inrush Switch Module
[GLXP-HSW8](#) - 8 Channel High-Inrush Switch Module
[GLXP-HSW12](#) - 12 Channel High-Inrush Switch Module
[GLXP-SW10](#) - 10 Channel Switch Module
[GLXP-SW16](#) - 16 Channel Switch Module
[GLXP-DIMFLV8](#) - 8 Channel 0-10V Dimmer Module
[GLXX-2DIM8](#) - 8 Channel Dimmer Module
[GLXX-CTRL](#) - Cresnet® Control Module
[INET-IOEX-RYIO](#) - infiNET EX® Wireless Relay/Digital Input Control Module

Shades



Crestron offers an unparalleled selection of designer fabrics and flexible hardware options for your customers. All shades are powered by the revolutionary Crestron Digital QMT™ brushless motors.

Available Motors, Shading Treatments, and Accessories

[C2N-SDC](#) - Shade and Drapery Controller, 120V AC

[C2N-SDC-DC](#) - Shade and Drapery Controller, 24V DC

[CSA-PWS10S-HUB](#) - 10-Motor Power Supply and Cresnet® Hub

[CSA-PWS10S-HUB-ENET](#) - 10-Motor Power Supply with Ethernet to Cresnet® Bridge and Cresnet Hub

[CSC-ACEX](#) - infiNET EX® Interface to Somfy® ST50 ILT2 Motor

[CSC-DCCN](#) - Cresnet® Interface to Crestron® CSM-QMT30 Shades

[CSC-DCEX](#) - infiNET EX® Interface to Crestron® CSM-QMT30 Shades

CSC-DRPCN

[CSM-QMT50-DCCN](#) - Crestron® QMT™ Motor for 38-Inch Roller Shades and Larger, Cresnet®

[CSM-QMT50-DCEX](#) - Crestron® QMT™ Motor for 38-Inch Roller Shades and Larger, infiNET EX®

[CSM-QMT60-DRP-DCCN](#) - Crestron® Drapery Track Motor w/ Cresnet®

[CSM-QMT60-DRP-DCEX](#) - Crestron® Drapery Track Motor w/ infiNET EX®

[CSM-QMTDC-163-1-CN](#) - Digital QMT® Shade Motor for QMT3 Series, Cresnet®

[CSM-QMTDC-163-1-EX](#) - Digital QMT® Shade Motor for QMT3 Series, infiNET EX®

[CSM-QMTDC-250-2-CN](#) - Digital QMT® Shade Motor for QMT5 Series, 2 Nm, Cresnet®

[CSM-QMTDC-250-2-EX](#) - Digital QMT® Shade Motor for QMT5 Series, 2 Nm, infiNET EX®

[CSM-QMTDC-250-4-CN](#) - Digital QMT® Shade Motor for QMT5 Series, 4 Nm, Cresnet®

[CSM-QMTDC-250-4-EX](#) - Digital QMT® Shade Motor for QMT5 Series, 4 Nm, infiNET EX®

[CSM-QMTDC-256-2-CN](#) - Digital QMT™ Shade Motor for 21-Inch Roller Shades and Larger, 2 Nm, Cresnet®

[CSM-QMTDC-256-2-EX](#) - Digital QMT Shade Motor for 21-Inch Roller Shades and Larger, 2 Nm

[CSM-QMTDC-275-4-CN](#) - Digital QMT® Shade Motor for QMT5 Series, 4 Nm, Cresnet®

[CSM-QMTDC-275-4-EX](#) - Digital QMT® Shade Motor for QMT5 Series, 4 Nm, infiNET EX®

[CSM-QMTDC-DRP-3-CN](#) - Digital QMT® Drapery Motor for CSS-DRAPERY, Cresnet®

[CSM-QMTDC-DRP-3-EX](#) - Digital QMT® Drapery Motor for CSS-DRAPERY, infiNET EX®

[CSS-ARCH3](#) - QMT®3 Series Architectural Shade Hardware

[CSS-ARCH5](#) - QMT®5 Series Architectural Shade Hardware

[CSS-DECOR3](#) - QMT®3 Series Décor Shade Hardware

[CSS-DECOR5](#) - QMT®5 Series Décor Shade Hardware

Touch Screens



We all love our mobile devices, but dedicated touch screens offer control when those mobile devices are on the move.

Available Touch Screen models

[TSW-552](#) - 5" Touch Screen

[TSW-560](#) - 5" Touch Screen

[TSW-752](#) - 7" Touch Screen

[TSW-760](#) - 7" Touch Screen

[TSW-1052](#) - 10.1" Touch Screen

[TSW-1060](#) - 10.1" Touch Screen

Thermostats



Crestron thermostats easily replace most common thermostats used for heating and air conditioning.

Available Thermostat models

[CHV-THSTAT](#) - Heating/Cooling and Humidity Thermostat

[CHV-TSTAT](#) - Heating/Cooling Thermostat

[CHV-TSTATEX](#) - infiNET EX Thermostat

[CHV-TSTATEX-FCU](#) - infiNET EX® Thermostat, Fan Coil Unit

Door Locks



Pyng technology supports a wide selection of locks from leading manufacturers.

Available Door Locks

[CLK-BD-8252-AC5](#) - Baldwin® Boulder Wireless Deadbolt w/ infiNET EX®, Pushbutton Keypad

[CLK-BD-8252-AC5X](#) - Baldwin® Boulder Wireless Deadbolt w/ infiNET EX®, No Keypad

[CLK-BD-8285-AC5](#) - Baldwin® Soho Wireless Deadbolt w/ infiNET EX®, Pushbutton Keypad

[CLK-BD-8285-AC5X](#) - Baldwin® Soho Wireless Deadbolt w/ infiNET EX®, No Keypad

[CLK-KW-914TRL](#) - Kwikset® SmartCode™ 914 Wireless Deadbolt, Pushbutton Keypad

[CLK-KW-916TRL](#) - Kwikset® SmartCode™ 916 Wireless Deadbolt, Touch Screen Keypad

[CLK-YL-YRL210-CR](#) - Yale® Wireless Lever Lock w/infiNET EX and Pushbutton

Keypad

[CLK-YL-YRL220-CR](#) - Yale Wireless Lever Lock w/infiNET EX and Touch Screen

Keypad

[CLK-YL-YRD210-CR](#) - Yale Wireless Deadbolt Lock w/infiNET EX and Pushbutton

Keypad

[CLK-YL-YRD220-CR](#) - Yale Wireless Deadbolt Lock w/infiNET EX and Touch Screen

Keypad

[CLK-YL-YRD240-CR](#) - Yale Key-Free Wireless Deadbolt Lock w/infiNET EX and Touch Screen Keypad

[CLK-YL-YRD216-CR2](#) - Yale® Assure Lock™ Wireless Deadbolt w/ infiNET EX® and Pushbutton Keypad

[CLK-YL-YRD226-CR2](#) - Yale® Assure Lock™ Wireless Deadbolt w/ infiNET EX® and Touchscreen Keypad

[CLK-YL-YRD246-CR2](#) - Yale® Assure Lock™ Key-Free Wireless Deadbolt w/ infiNET EX® and Touchscreen Keypad

Security



Crestron PynG integrates select security systems with an Ethernet expansion box.

- Arm or disarm your security system
- Check status of your system

Available Security*

DSC PC1616

DSC PC1864

DSC PC1832

Honeywell Vista 15P

Honeywell Vista 15PSIA

Honeywell Vista 20PSIA

Honeywell Vista 21iP

Honeywell Vista 21iPSIA

Honeywell Vista 128

Honeywell Vista 250

Interlogix NetworX NX-4

Interlogix NetworX NX-4V2

Interlogix NetworX NX-6

Interlogix NetworX NX-6V2

Interlogix NetworX NX-8

Interlogix NetworX NX-8V2

Interlogix NetworX NX-8E
TEXECOM PREMIER ELITE SERIES (48/88/168)

*PYNG-CONNECT-COM - COM Port Expander for PYNG-HUB is required for interfacing with security systems.

Keypads



Crestron keypads feature customizable buttons, auto-dimmable backlit text, and LED feedback. Available in a wide selection of colors and configurations, it's easy to find the perfect keypad for any need and any décor.

Available Keypads

[C2N-CBD-E](#) - Cameo® Express Keypad, Standard Mount

[C2N-CBD-P](#) - Cameo® Keypad, Standard Mount

[C2N-CBF-P](#) - Cameo® Keypad, Flush Mount

[C2N-CBV-P](#) - Cameo® Keypad, Vimar™ Mount

[C2N-UNI8IO](#) - Universal Keypad Interface

[C2N-UNI8IO-D](#)

[C2NI-CB](#) - Cameo® Keypad - International Version

[CLW-EXPEX](#) - infiNET EX® Wireless Expander

[CLWI-KPLCN](#) - In-Wall Lighting Keypad, Cresnet

[CLWI-KPLEX](#) - In-Wall Wireless Lighting Keypad, 230VAC Line Powered

[CLWI-KPLEX-BATT](#) - On-Wall Wireless Lighting Keypad, Battery Powered

[CNX-B2](#) - Designer Keypads

[CNX-B4](#) - Designer Keypads

[CNX-B6](#) - Designer Keypads

[CNX-B8](#) - Designer Keypads

[CNX-B12](#) - Designer Keypads

[HTT-B10EX](#) - Wireless Tabletop Keypad with infiNET EX®

[HTT-B2EX-BATT](#) - Battery-Powered infiNET EX 2-button Wireless Keypad

[INET-CBDEX-E](#) - Cameo Express Wireless Keypad w/infiNET EX

[INET-CBDEX-P](#) - Cameo Wireless Keypad w/infiNET EX

Occupancy Sensors



Take home automation to the next level with Crestron occupancy sensors. Start a lifestyle scene when someone enters a room or return to a default setting when the room is vacant.

Available Occupancy Sensors

[GLS-ODT-C-CN](#) - Dual-Technology Occupancy Sensor with Cresnet®, 2000 Sq. Ft.

[GLS-OIR-C-CN](#) - Passive Infrared Occupancy Sensor with Cresnet®, 2000 Sq. Ft.

[GLS-OIR-CSM-EX-BATT](#) - Battery-Powered infiNET EX Occupancy Sensor, 500 Sq. Ft.

Photosensors

Available Photosensors

[GLS-LDL-EX-BATT](#) - Battery-Powered Photosensor with infiNET EX®, Dual-Loop